## Registered Nurses' Association of Ontario – Nursing Best Practice Guidelines Program

## Working with Families to Promote Safe Sleep for Infants 0-12 Months of Age

# **Guideline Search Strategy**

### 1. Structured Website Search

A Member of the RNAO guideline development team (project coordinator) searched an established list of websites for guidelines.

Guidelines were selected based on the following criteria:

- 1. Published in English, national and international in scope
- 2. Developed no earlier than January, 2005
- 3. Strictly on the topic areas listed: Safe Sleep for Infants, SIDS: Sudden Infant Death Syndrome, SUDS: Sudden Unexpected Death Syndrome, and Prevention of Infant Death.
- 4. Evidence-based (contains references, description of evidence, source of evidence)
- 5. Available and accessible for retrieval

#### Website Searched:

**Abstracts for Cochrane Reviews** 

AHFMR (Alberta Heritage Foundation for Medical Research) Health Technology Assessment Publications

Alberta Medical Association Clinical Practice Guidelines

American Academy of Pediatrics

American Nephrology Nurses Association

Annals of Internal Medicine

Bandolier Journal

BC Office of Health Technology Assessment

**British Columbia Council on Clinical Practice Guidelines** 

Canadian Health Network

Canadian Institute for Health Information

Clinical Evidence

CMA Infobase: Clinical Practice Guidelines

Commission on the Future of Health Care in Canada

**CREST** 

Database of Abstracts of Reviews of Effectiveness

EBOC: Evidence-based On-Call:

European Observatory on Health Care for Chronic Conditions, World Health Organization

Canadian Pediatric Society

Campbell Collaboration

## Working with Families to Promote Safe Sleep for Infants 0-12 Months of Age

Institute for Clinical Evaluative Sciences

Institute for Clinical Systems Improvement

Joanna Briggs Institute for Evidence-Based Nursing & Midwifery (Australia)

Monash University Centre for Clinical Effectiveness

National Guideline Clearinghouse

National Institute for Clinical Evidence (NICE)

New Zealand Guidelines Group

NHS Centre for Reviews and Dissemination

NHS National Research Register (UK focus)

NHS R & D Health Technology Assessment Programme

NIH [US National Institute of Health] Consensus Development Program

NLM Health Services/Technology Assessment

Nursing & Midwifery Practice Dev. Unit

PEDro: The Physiotherapy Evidence Database

Royal College of Nursing

SIDS foundation of Canada

Virginia Henderson International Nursing Library

### 2. Hand Search

RNAO expert panel members were asked to review personal libraries to identify and submit potentially relevant guidelines. Guidelines submitted for consideration by RNAO expert panel members were integrated into the retrieved list of guideline if they had not been identified by the on-line guideline search and met the inclusion criteria.

# Systematic Review Search Strategy

Concurrent with the review of existing guidelines, a systematic review for recent literature relevant to the scope of the guideline was conducted by a health sciences librarian.

## **Clinical Questions:**

- 1) What are the risks and protective factors that influence safe sleep:
  - Physical environment
  - Parent and child attributes (high risk populations)
  - HCP interventions
- 2) What are the Education and Policy considerations in the implementation of this safe sleep?
  - Education: Academic (undergraduate, graduate, continuing education) and Organizations (workshops, orientations, continuing education)
  - Policy: Economic factors, Advertising, Advocacy

**Databases Searched:** Cumulative Index to Nursing and Allied Health (CINAHL), Cochrane Controlled Trials (CT), Cochrane Systematic Reviews (SR), Database of Abstracts of Reviews of Effectiveness (DARE), Embase and Medline.

### **Inclusion Criteria:**

- A. Studies related to Risks and Protective Factors that influence sleep including Physical environment, parent and child attributes and HCP interventions
- B. Studies related to Education and Policy considerations that influence safe sleep
- C. For Clinical Question 1: Guidelines, Meta-analysis, systematic review, RCTs, Descriptive Corelational study, Qualitative Studies and Case Control Studies
- D. For Clinical Question 2: all studies mentioned in C plus expert opinion (integrative review and critical review)
- E. Studies/articles from January 2000-September 2013
- F. English Language
- G. Target population: 0-12 months, parents and caregivers
- H. All health care providers, educators, parents and caregivers
- I. All health care settings and sectors

### **Exclusion Criteria:**

- A. Dissertations, Commentaries, Narrative Reviews, Case Studies
- B. Non-English language
- C. Target population: infants or children greater than 12 months
- D. Topic not related to Safe Sleep
- J. Studies NOT related to Risks and Protective Factors that influence sleep including Physical environment, parent and child attributes and HCP interventions
- K. Studies NOT related to Education and Policy considerations that influence safe sleep

### **Search Terms**

Below is the condensed search strategy used for each research question in MEDLINE. Comparable terms were used in all other databases searched.

Population:	Exposure:	Outcome:
Infant and related terms	Risk factors and related terms	SIDS and related terms
Infant	risk factors	Sleep
Infant, Newborn	risk assessment	Unsafe sleep
Infant, Low Birth Weight	risk reduction behavior	Back to sleep
Infant, Very Low Birth Weight	odds ratio	Healthy sleep
Infant, Extremely Low Birth	likelihood functions	Sleep position
Weight	risk*	Falls
Infant, Small for Gestational Age	Beds	Нурохіа
Infant, Premature	Bedding and Linens	Hypoxemia
Infant, Postmature	linen? adj2 bedding?	Suffocation

# Working with Families to Promote Safe Sleep for Infants 0-12 Months of Age

Infant Mortality	Infant Equipment	Strangulation
infan*	infan* adj2 equipment?	Entrapment
newborn* or new-born*	Play and Playthings	Entanglement
neonate or neonates	(toy or toys	Sudden Infant Death
baby or babies	Pacifiers	Sudden unexpected death in infancy
preemie or premie	pacifier?	Sudden unexpected infant death
SGA	infant care/ or rooming-in care	SIDS
	Posture	ASSB (accidental suffocation and
	Prone Position	strangulation)
	Supine Position	SUPC (sudden unexpected post-natal
	dorsal adj2 position?	collapse)
	swaddl*	Sudden infant death Aspiration
	bottle feeding/ or breast feeding	Asphyxia
	diapers, infant	sudden* adj3 (infan* or baby or
	Animals, Domestic	babies
	accidents/ or accident prevention	unexpect* adj3 (infan* or baby or
	accident*	babies
	Safety	crib? adj2 death?
	Equipment Safety	cot adj2 death?
	equipment? adj2 hazard?	nap or naps or napped or napping
		sid or sids or sudi

## **Hand Search**

Panel members were asked to review personal libraries to identify key articles not found through the above search strategies. Articles identified by panel members were included in the search results if two nursing research associates independently determined the articles had not been identified by the literature search and met the inclusion criteria.